

## Refine Search

### Search Results -

Term	Documents
@PY	34320757
(18 AND (@PY <= "2000")).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	13
(L18 AND @PY<=2000 ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	13

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L19

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Tuesday, November 23, 2004   [Printable Copy](#)   [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L19</u>	L18 and @py<=2000	13	<u>L19</u>
<u>L18</u>	frame adj cycle same start same packet	31	<u>L18</u>
<u>L17</u>	frame same start same packet	3811	<u>L17</u>
<u>L16</u>	terminal adj adapter adj identification same data adj packet	0	<u>L16</u>
<u>L15</u>	terminal adj adapter adj identification	3	<u>L15</u>
<u>L14</u>	terminal adj adapter adj identification	3	<u>L14</u>
<u>L13</u>	terminal adj adapter adj identification	3	<u>L13</u>
<u>L12</u>	data adj packet and terminal adj adapter adj (ID or identification)	1	<u>L12</u>
<u>L11</u>	data adj packet same terminal adj adapter adj (ID or identification)	0	<u>L11</u>

<u>L10</u>	data adj packet same terminal adj adapter	43	<u>L10</u>
<u>L9</u>	data adj packet same termial adj adapter	0	<u>L9</u>
<u>L8</u>	data adj packet adj includ\$3 adj (ID or identification) same terminal adj adapter	0	<u>L8</u>
<u>L7</u>	data adj packet adj includ\$3 adj (ID or identification)	67	<u>L7</u>
<u>L6</u>	data adj packet same including same (display or work adj station) near2 (ID or identification)	13	<u>L6</u>
<u>L5</u>	L4 and @py<=2000	26	<u>L5</u>
<u>L4</u>	data adj packet same including and (display or work adj station) near2 (ID or identification)	81	<u>L4</u>
<u>L3</u>	L2 and @py<=2000	15	<u>L3</u>
<u>L2</u>	data adj packet same display near2 (ID or identification)	31	<u>L2</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	data adj packet same display near2 (ID or identification)	17	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
@PY	34320757
(L14 AND (@PY <= "2000")).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	15
(L14 AND @PY<=2000 ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	15

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L15

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Tuesday, November 23, 2004   [Printable Copy](#)   [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L15</u>	L14 and @py<=2000	15	<u>L15</u>
<u>L14</u>	data adj packet same display near2 (ID or identification)	31	<u>L14</u>
<u>L13</u>	L12 and display adj (ID or identification)	13	<u>L13</u>
<u>L12</u>	data adj packet same (ID or identification) same display	337	<u>L12</u>
<u>L11</u>	terminal adj adapter same data adj packet	43	<u>L11</u>
<u>L10</u>	data adj packet same(ID or identification) same (display or work adj station\$1) same terminal adj adapter\$1	1	<u>L10</u>
<u>L9</u>	data adj packet same(ID or identification) same (display or work adj station\$1) and terminal adj adapter\$1	4	<u>L9</u>

<u>L8</u>	data adj packet same(ID or identification) same (display or work adj station\$1) and terminal adj adapter	4	<u>L8</u>
<u>L7</u>	data adj packet same(ID or identification) same (display or work adj station\$1)	344	<u>L7</u>
<u>L6</u>	data adj packet same(ID or identification)	5792	<u>L6</u>
<u>L5</u>	data adj packet same display adj (ID or identification)	7	<u>L5</u>
<u>L4</u>	data adj packet and display adj (ID or identification)	96	<u>L4</u>
<u>L3</u>	data adj packet and display adj (ID of identification)	0	<u>L3</u>
<u>L2</u>	data adj packet same terminal adj adapter adj (ID or identification)	0	<u>L2</u>
<u>L1</u>	data adj packet	52376	<u>L1</u>

END OF SEARCH HISTORY

<u>L15</u>	data adj packet\$1 same display adj (ID or identification)	7	<u>L15</u>
<u>L14</u>	data adj packet\$1 same display adj ID	5	<u>L14</u>
<u>L13</u>	L10 and display adj data adj packet\$1 same display adj ID	0	<u>L13</u>
<u>L12</u>	data adj packed same display adj ID	0	<u>L12</u>
<u>L11</u>	display adj data adj packet\$1 same control adj unit	2	<u>L11</u>
<u>L10</u>	display adj data adj packet\$1	55	<u>L10</u>
<u>L9</u>	L8 and @py<=2000	3	<u>L9</u>
<u>L8</u>	control adj unit same terminal adj adapter same display\$13	17	<u>L8</u>
<u>L7</u>	L4 and control adj unit\$1 same terminal adj adapter\$1 same display\$3	2	<u>L7</u>
<u>L6</u>	L4 and control adj unit\$1 same terminal adj adapter\$1	14	<u>L6</u>
<u>L5</u>	L4 and coltrol adj unit\$1 same terminal adj adapter\$1	0	<u>L5</u>
<u>L4</u>	data adj packet\$1	52335	<u>L4</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L3</u>	L2 and display\$1	4	<u>L3</u>
<u>L2</u>	L1 and control adj unit\$1 same terminal adj adapter	10	<u>L2</u>
<u>L1</u>	data adj packet\$1	20317	<u>L1</u>

END OF SEARCH HISTORY